







电动机接线图



YBX3 技术参数



额定功率	额定电流	额定转矩	大转矩	小转矩	满载效率	功率因数
Power	Rated current	Rated torque	Large torque	Small torque	Full load efficiency	Power factor
kW	A	Nm	Nm	Nm	%	

YBX3-100L-2	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-4	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-6	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-8	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-10	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-12	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-14	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-16	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-18	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-20	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-22	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-24	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-26	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-28	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-30	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-32	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-34	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-36	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-38	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-40	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-42	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-44	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-46	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-48	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-50	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-52	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-54	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-56	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-58	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-60	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-62	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-64	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-66	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-68	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-70	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-72	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-74	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-76	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-78	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-80	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-82	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-84	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-86	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-88	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-90	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-92	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-94	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-96	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-98	100	1.5	1.0	0.8	0.85	0.85
YBX3-100L-100	100	1.5	1.0	0.8	0.85	0.85

电机型号	额定功率	额定电压	额定电流	额定转矩	满载效率	功率因数
Motor Model	Rated Power	Rated Voltage	Rated Current	Rated Torque	Full Load Efficiency	Power Factor
	kW	V	A	Nm	%	

YBX3-100L-2	100	220	1.5	1.0	0.85	0.85
YBX3-100L-4	100	220	1.5	1.0	0.85	0.85
YBX3-100L-6	100	220	1.5	1.0	0.85	0.85
YBX3-100L-8	100	220	1.5	1.0	0.85	0.85
YBX3-100L-10	100	220	1.5	1.0	0.85	0.85
YBX3-100L-12	100	220	1.5	1.0	0.85	0.85
YBX3-100L-14	100	220	1.5	1.0	0.85	0.85
YBX3-100L-16	100	220	1.5	1.0	0.85	0.85
YBX3-100L-18	100	220	1.5	1.0	0.85	0.85
YBX3-100L-20	100	220	1.5	1.0	0.85	0.85
YBX3-100L-22	100	220	1.5	1.0	0.85	0.85
YBX3-100L-24	100	220	1.5	1.0	0.85	0.85
YBX3-100L-26	100	220	1.5	1.0	0.85	0.85
YBX3-100L-28	100	220	1.5	1.0	0.85	0.85
YBX3-100L-30	100	220	1.5	1.0	0.85	0.85
YBX3-100L-32	100	220	1.5	1.0	0.85	0.85
YBX3-100L-34	100	220	1.5	1.0	0.85	0.85
YBX3-100L-36	100	220	1.5	1.0	0.85	0.85
YBX3-100L-38	100	220	1.5	1.0	0.85	0.85
YBX3-100L-40	100	220	1.5	1.0	0.85	0.85
YBX3-100L-42	100	220	1.5	1.0	0.85	0.85
YBX3-100L-44	100	220	1.5	1.0	0.85	0.85
YBX3-100L-46	100	220	1.5	1.0	0.85	0.85
YBX3-100L-48	100	220	1.5	1.0	0.85	0.85
YBX3-100L-50	100	220	1.5	1.0	0.85	0.85
YBX3-100L-52	100	220	1.5	1.0	0.85	0.85
YBX3-100L-54	100	220	1.5	1.0	0.85	0.85
YBX3-100L-56	100	220	1.5	1.0	0.85	0.85
YBX3-100L-58	100	220	1.5	1.0	0.85	0.85
YBX3-100L-60	100	220	1.5	1.0	0.85	0.85
YBX3-100L-62	100	220	1.5	1.0	0.85	0.85
YBX3-100L-64	100	220	1.5	1.0	0.85	0.85
YBX3-100L-66	100	220	1.5	1.0	0.85	0.85
YBX3-100L-68	100	220	1.5	1.0	0.85	0.85
YBX3-100L-70	100	220	1.5	1.0	0.85	0.85
YBX3-100L-72	100	220	1.5	1.0	0.85	0.85
YBX3-100L-74	100	220	1.5	1.0	0.85	0.85
YBX3-100L-76	100	220	1.5	1.0	0.85	0.85
YBX3-100L-78	100	220	1.5	1.0	0.85	0.85
YBX3-100L-80	100	220	1.5	1.0	0.85	0.85
YBX3-100L-82	100	220	1.5	1.0	0.85	0.85
YBX3-100L-84	100	220	1.5	1.0	0.85	0.85
YBX3-100L-86	100	220	1.5	1.0	0.85	0.85
YBX3-100L-88	100	220	1.5	1.0	0.85	0.85
YBX3-100L-90	100	220	1.5	1.0	0.85	0.85
YBX3-100L-92	100	220	1.5	1.0	0.85	0.85
YBX3-100L-94	100	220	1.5	1.0	0.85	0.85
YBX3-100L-96	100	220	1.5	1.0	0.85	0.85
YBX3-100L-98	100	220	1.5	1.0	0.85	0.85
YBX3-100L-100	100	220	1.5	1.0	0.85	0.85

YBX3 技术参数



额定功率	堵转电流	堵转转矩	最大转矩	最小转矩	空载噪音	重量
2.4	3.3	1.3	1.9	1.3	52	22


额定功率	额定电压	额定频率	额定转速	额定电流
2.4	380	50	1450	6.0

3.0	3.3	1.3	1.9	1.3	52	22
4.0	3.3	1.3	1.9	1.3	52	22
5.5	3.3	1.3	1.9	1.3	52	22
7.5	3.3	1.3	1.9	1.3	52	22
11	3.3	1.3	1.9	1.3	52	22
15	3.3	1.3	1.9	1.3	52	22
22	3.3	1.3	1.9	1.3	52	22
30	3.3	1.3	1.9	1.3	52	22
40	3.3	1.3	1.9	1.3	52	22
55	3.3	1.3	1.9	1.3	52	22
75	3.3	1.3	1.9	1.3	52	22
110	3.3	1.3	1.9	1.3	52	22
150	3.3	1.3	1.9	1.3	52	22
220	3.3	1.3	1.9	1.3	52	22
300	3.3	1.3	1.9	1.3	52	22
400	3.3	1.3	1.9	1.3	52	22
550	3.3	1.3	1.9	1.3	52	22
750	3.3	1.3	1.9	1.3	52	22
1100	3.3	1.3	1.9	1.3	52	22
1500	3.3	1.3	1.9	1.3	52	22
2200	3.3	1.3	1.9	1.3	52	22
3000	3.3	1.3	1.9	1.3	52	22
4000	3.3	1.3	1.9	1.3	52	22
5500	3.3	1.3	1.9	1.3	52	22
7500	3.3	1.3	1.9	1.3	52	22
11000	3.3	1.3	1.9	1.3	52	22
15000	3.3	1.3	1.9	1.3	52	22
22000	3.3	1.3	1.9	1.3	52	22
30000	3.3	1.3	1.9	1.3	52	22
40000	3.3	1.3	1.9	1.3	52	22
55000	3.3	1.3	1.9	1.3	52	22
75000	3.3	1.3	1.9	1.3	52	22
110000	3.3	1.3	1.9	1.3	52	22
150000	3.3	1.3	1.9	1.3	52	22
220000	3.3	1.3	1.9	1.3	52	22
300000	3.3	1.3	1.9	1.3	52	22
400000	3.3	1.3	1.9	1.3	52	22
550000	3.3	1.3	1.9	1.3	52	22
750000	3.3	1.3	1.9	1.3	52	22
1100000	3.3	1.3	1.9	1.3	52	22
1500000	3.3	1.3	1.9	1.3	52	22
2200000	3.3	1.3	1.9	1.3	52	22
3000000	3.3	1.3	1.9	1.3	52	22
4000000	3.3	1.3	1.9	1.3	52	22
5500000	3.3	1.3	1.9	1.3	52	22
7500000	3.3	1.3	1.9	1.3	52	22
11000000	3.3	1.3	1.9	1.3	52	22
15000000	3.3	1.3	1.9	1.3	52	22
22000000	3.3	1.3	1.9	1.3	52	22
30000000	3.3	1.3	1.9	1.3	52	22
40000000	3.3	1.3	1.9	1.3	52	22
55000000	3.3	1.3	1.9	1.3	52	22
75000000	3.3	1.3	1.9	1.3	52	22
110000000	3.3	1.3	1.9	1.3	52	22
150000000	3.3	1.3	1.9	1.3	52	22
220000000	3.3	1.3	1.9	1.3	52	22
300000000	3.3	1.3	1.9	1.3	52	22
400000000	3.3	1.3	1.9	1.3	52	22
550000000	3.3	1.3	1.9	1.3	52	22
750000000	3.3	1.3	1.9	1.3	52	22
1100000000	3.3	1.3	1.9	1.3	52	22
1500000000	3.3	1.3	1.9	1.3	52	22
2200000000	3.3	1.3	1.9	1.3	52	22
3000000000	3.3	1.3	1.9	1.3	52	22
4000000000	3.3	1.3	1.9	1.3	52	22
5500000000	3.3	1.3	1.9	1.3	52	22
7500000000	3.3	1.3	1.9	1.3	52	22
11000000000	3.3	1.3	1.9	1.3	52	22
15000000000	3.3	1.3	1.9	1.3	52	22
22000000000	3.3	1.3	1.9	1.3	52	22
30000000000	3.3	1.3	1.9	1.3	52	22
40000000000	3.3	1.3	1.9	1.3	52	22
55000000000	3.3	1.3	1.9	1.3	52	22
75000000000	3.3	1.3	1.9	1.3	52	22
110000000000	3.3	1.3	1.9	1.3	52	22
150000000000	3.3	1.3	1.9	1.3	52	22
220000000000	3.3	1.3	1.9	1.3	52	22
300000000000	3.3	1.3	1.9	1.3	52	22
400000000000	3.3	1.3	1.9	1.3	52	22
550000000000	3.3	1.3	1.9	1.3	52	22
750000000000	3.3	1.3	1.9	1.3	52	22
1100000000000	3.3	1.3	1.9	1.3	52	22
1500000000000	3.3	1.3	1.9	1.3	52	22
2200000000000	3.3	1.3	1.9	1.3	52	22
3000000000000	3.3	1.3	1.9	1.3	52	22
4000000000000	3.3	1.3	1.9	1.3	52	22
5500000000000	3.3	1.3	1.9	1.3	52	22
7500000000000	3.3	1.3	1.9	1.3	52	22
11000000000000	3.3	1.3	1.9	1.3	52	22
15000000000000	3.3	1.3	1.9	1.3	52	22
22000000000000	3.3	1.3	1.9	1.3	52	22
30000000000000	3.3	1.3	1.9	1.3	52	22
40000000000000	3.3	1.3	1.9	1.3	52	22
55000000000000	3.3	1.3	1.9	1.3	52	22
75000000000000	3.3	1.3	1.9	1.3	52	22
110000000000000	3.3	1.3	1.9	1.3	52	22
150000000000000	3.3	1.3	1.9	1.3	52	22
220000000000000	3.3	1.3	1.9	1.3	52	22
300000000000000	3.3	1.3	1.9	1.3	52	22
400000000000000	3.3	1.3	1.9	1.3	52	22
550000000000000	3.3	1.3	1.9	1.3	52	22
750000000000000	3.3	1.3	1.9	1.3	52	22
1100000000000000	3.3	1.3	1.9	1.3	52	22
1500000000000000	3.3	1.3	1.9	1.3	52	22
2200000000000000	3.3	1.3	1.9	1.3	52	22
3000000000000000	3.3	1.3	1.9	1.3	52	22
4000000000000000	3.3	1.3	1.9	1.3	52	22
5500000000000000	3.3	1.3	1.9	1.3	52	22
7500000000000000	3.3	1.3	1.9	1.3	52	22
11000000000000000	3.3	1.3	1.9	1.3	52	22
15000000000000000	3.3	1.3	1.9	1.3	52	22
22000000000000000	3.3	1.3	1.9	1.3	52	22
30000000000000000	3.3	1.3	1.9	1.3	52	22
40000000000000000	3.3	1.3	1.9	1.3	52	22
55000000000000000	3.3	1.3	1.9	1.3	52	22
75000000000000000	3.3	1.3	1.9	1.3	52	22
110000000000000000	3.3	1.3	1.9	1.3	52	22
150000000000000000	3.3	1.3	1.9	1.3	52	22
220000000000000000	3.3	1.3	1.9	1.3	52	22
300000000000000000	3.3	1.3	1.9	1.3	52	22
400000000000000000	3.3	1.3	1.9	1.3	52	22
550000000000000000	3.3	1.3	1.9	1.3	52	22
750000000000000000	3.3	1.3	1.9	1.3	52	22
1100000000000000000	3.3	1.3	1.9	1.3	52	22
1500000000000000000	3.3	1.3	1.9	1.3	52	22
2200000000000000000	3.3	1.3	1.9	1.3	52	22
3000000000000000000	3.3	1.3	1.9	1.3	52	22
4000000000000000000	3.3	1.3	1.9	1.3	52	22
5500000000000000000	3.3	1.3	1.9	1.3	52	22
7500000000000000000	3.3	1.3	1.9	1.3	52	22
11000000000000000000	3.3	1.3	1.9	1.3	52	22
15000000000000000000	3.3	1.3	1.9	1.3	52	22
22000000000000000000	3.3	1.3	1.9	1.3	52	22
30000000000000000000	3.3	1.3	1.9	1.3	52	22
40000000000000000000	3.3	1.3	1.9	1.3	52	22
55000000000000000000	3.3	1.3	1.9	1.3	52	22
75000000000000000000	3.3	1.3	1.9	1.3	52	22
110000000000000000000	3.3	1.3	1.9	1.3	52	22
150000000000000000000	3.3	1.3	1.9	1.3	52	22
220000000000000000000	3.3	1.3	1.9	1.3	52	22
300000000000000000000	3.3	1.3	1.9	1.3	52	22
400000000000000000000	3.3	1.3	1.9	1.3	52	22
550000000000000000000	3.3	1.3	1.9	1.3	52	22
750000000000000000000	3.3	1.3	1.9	1.3	52	22
1100000000000000000000	3.3	1.3	1.9	1.3	52	22
1500000000000000000000	3.3	1.3	1.9	1.3	52	22
2200000000000000000000	3.3	1.3	1.9	1.3	52	22
3000000000000000000000	3.3	1.3	1.9	1.3	52	22
4000000000000000000000	3.3	1.3	1.9	1.3	52	22
5500000000000000000000	3.3	1.3	1.9	1.3	52	22
7500000000000000000000	3.3	1.3	1.9	1.3	52	22
11000000000000000000000	3.3	1.3	1.9			


机外形及安装尺寸图

防爆电

外形及安装尺寸图 -B3



(YBX3-180-355)



(YBX3-80-160)

C	D	E	ED	F	G	GD	H	HA	HD	K	L	LG
50	19	40	22	6	15.5	6	80	10	296	10	318	141
56	24	50	32	8	20	8	90	14	318	10	365	156
56	24	50	32	8	20	8	90	14	318	10	390	156
63	28	60	40	8	24	8	100	14	344	12	443	162
70	28	60	40	8	24	8	112	16	369	12	492	183
79	35	80	56	10	33	10	132	18	417	12	509	200
89	35	80	56	10	33	10	132	18	417	12	559	200
95	42	110	80	12	37	12	160	25	457	14.5	730	272
98	42	110	80	12	37	12	160	25	457	14.5	730	272
112	48	110	80	12	37	12	160	25	457	14.5	730	272

FRAME	A	AA	AB	AC	AD	B	BB
80M	125	34	160	180	175	100	130
90S	140	36	176	190	175	100	135
90L	140	36	176	190	175	125	160
100L	160	43	200	210	175	140	176
112M	190	50	240	225	190	140	180
132S	216	60	276	265	190	140	190
132M	216	60	276	265	190	178	230
160M	254	70	324	320	211	254	310
160L	254	70	324	320	211	254	310
180M	279	70	349	360	211	241	311





图 10-10-10 滚动轴承盖 (GB/T 2875-2006)




图 10-10-11 滚动轴承盖 (GB/T 2875-2006)





图 10-10-12 滚动轴承盖 (GB/T 2875-2006)

滚动轴承盖	A	AA	AB	AC	B	IM	IN	P	Q	Q
65 140 100 18 58 18 280 35 765 24 1020 378 500 450 550 19 5										
75 140 100 20 67.5 20 280 35 765 24 1020 378 500 450 550 19 5										
65 140 100 18 58 18 280 35 765 24 1080 378 500 450 550 19 5										
75 140 100 20 67.5 20 280 35 765 24 1080 378 500 450 550 19 5										
65 140 100 18 58 18 315 45 908 28 1250 472 600 550 660 24 6										
65 140 100 18 58 18 315 45 908 28 1370 472 600 550 660 24 6										
65 140 100 18 58 18 315 45 908 28 1370 472 600 550 660 24 6										
80 170 130 22 71 22 315 45 908 28 1280 472 600 550 660 24 6										
80 170 130 22 71 22 315 45 908 28 1400 472 600 550 660 24 6										
80 170 130 22 71 22 315 45 908 28 1400 472 600 550 660 24 6										
75 140 100 20 67.5 20 355 52 1040 28 1540 486 740 680 800 24 6										
75 140 100 20 67.5 20 355 52 1040 28 1650 486 740 680 800 24 6										
95 170 130 25 86 25 355 52 1040 28 1570 486 740 680 800 24 6										
95 170 130 25 86 25 355 52 1040 28 1680 486 740 680 800 24 6										

滚动轴承盖	A	AA	AB	AC	B	IM	IN	P	Q	Q
280S(4-8P) 457 85 542 550 279 368 440 190										
280M(2P) 457 85 542 550 279 419 490 190										
280M(4-8P) 457 85 542 550 279 419 490 190										
315S(2P) 508 120 628 625 352 406 570 216										
315M(2P) 508 120 628 625 352 457 680 216										
315L(2P) 508 120 628 625 352 508 680 216										
315S(4-10P) 508 120 628 625 352 406 570 216										
315M(4-10P) 508 120 628 625 352 457 680 216										
315L(4-10P) 508 120 628 625 352 508 680 216										
355M(2P) 610 120 730 702 352 560 696 254										
355L(2P) 610 120 730 702 352 630 766 254										
355M(4-10P) 610 120 730 702 352 560 696 254										
355L(4-10P) 610 120 730 702 352 630 766 254										


Note: R=0

YBX3-225-355



(YBX3-225-355)

G	GD	L	LG	LM	M	N	P	S	T
15.5	6	318	141	358	165	130	200	12	3.5
20	8	365	156	400	165	130	200	12	3.5
20	8	390	156	430	165	130	200	12	3.5
24	8	443	162	490	215	180	250	15	4
24	8	492	183	542	215	180	250	15	4
28	10	563	200	659	265	230	300	15	4
28	10	559	200	620	265	230	300	15	4
37	12	700	272	740	300	250	350	19	5
37	12	730	272	785	300	250	350	19	5
42.5	14	771	300	825	300	250	350	19	5



(YBX3-80-200)

FRAME	AC	AD	D	E	ED	F
80M	180	176	19	40	22	6
90S	190	176	24	50	32	8
90L	190	175	24	50	32	8
100L	210	175	28	60	40	8
112M	225	190	28	60	40	8
132S	265	190	38	80	56	10
132M	265	190	38	80	56	10
160M	320	211	42	110	80	12
160L	320	211	42	110	80	12
180M	360	211	45	110	80	14

G	GD	L	LG	LM	M	N	P	S	T
53	18	845	346	914	400	350	450	19	5
49	16	875	346	914	400	350	450	19	5
53	18	875	346	944	400	350	450	19	5
58	18	961	370	1077	500	450	550	19	5
58	18	961	370	1077	500	450	550	19	5
58	18	1020	378	1125	500	450	550	19	5
7.5	20	1020	378	1125	500	450	550	19	5
58	18	1080	378	1125	500	450	550	19	5
7.5	20	1080	378	1125	500	450	550	19	5
58	18	1260	472	1348	600	550	660	24	6
7.5	20	1370	472	1468	600	550	660	24	6
18	18	1370	472	1468	600	550	660	24	6
22	1280	472	1378	600	550	660	24	6	
22	1400	472	1498	600	550	660	24	6	
22	1400	472	1498	600	550	660	24	6	
20	1540	486	1630	740	680	800	24	6	
20	1650	486	1740	740	680	800	24	6	
25	1570	486	1660	740	680	800	24	6	
25	1680	486	1770	740	680	800	24	6	

FRAME	AC	AD	D	E	ED	F
225S(4-8P)	450	240	60	140	100	18
225M(2P)	450	240	55	110	80	16
225M(4-8P)	450	240	60	140	100	18
250M(2P)	500	279	60	140	100	18
250M(4-8P)	500	279	65	140	100	18
280S(2P)	550	279	65	140	100	18
280S(4-8P)	550	279	75	140	100	20
280M(2P)	550	279	65	140	100	18
280M(4-8P)	550	279	75	140	100	20
315S(2P)	625	352	65	140	100	18
315M(2P)	625	352	65	140	100	18
315L(2P)	625	352	65	140	100	18
315S(4-10P)	625	352	80	170	130	22
315M(4-10P)	625	352	80	170	130	22
315L(4-10P)	625	352	80	170	130	22
355M(2P)	702	352	75	140	100	20
355L(2P)	702	352	75	140	100	20
355M(4-10P)	702	352	95	170	130	25
355L(4-10P)	702	352	95	170	130	25

Note: R=0